Benevah Variant Silt Lean 82-10-8561 (8210-809-6)

Classification: fine-loamy, mixed, frigid Ultic Palexeralfs.

General Site Characteristics

Location: Benewah County, Idaho; approx. 1 1/2 miles ENE of St. Maries; 2080 feet

N & 975 feet W of SE corner of sec. 24, T. 46N., R. 2W.

Forest:

Area: Christmas Hills Recreation area along access road

Described By/Date: Soil Conservation Service personnel on April 14, 1982

Parent Rock/Material: leess

Habitat Type: western hemlock, western red cedar, Douglass fir, western white pine, western

larch, LIBO, ROSA, COOC

Topography: rolling

Landform: terrace on a basalt plateau

Weathering:

Formation Name:
Slope: 5 percent

Aspect: southwest

Elevation: 3000 feet

Soil Depth:

Eff. Rooting Depth:

Litter Type:

Surface Rock:

Climate: frigid

Precipitation:

Eresien:

Infiltration:

Permeability: med. slow

Storage:

Drainage: well

Air Temp:

Soil Temp at 20 inches:

Salt/Alkal:

Remarks: Water seeped into the pit from the sites at about 55 inches. Above that depth there were a few areas on the sides of the hole that had some excess moisture.

Pedon Description

- 0i 4-3 cm. Slightly decomposed needles, leaves, and twigs.
- U 3-1 cm. Volcanic ash May 1980 eruption Mt. St. Helen's.
- De 1-8 cm. Well decomposed organic matter.
- A 0-8 cm. Brown (18YR 5/3) silt loam, dark brown (18YR 3/3) moist; moderate fine and medium subangular blocky structure parting to weak very fine and fine granular structure; slightly hard, friable, slightly sticky and slightly plastic; moderately acid pH 5.6; many very fine and fine, common medium and coarse roots; many very fine, common fine, few medium tubular pores; no gravels by weight; clear wavy boundary.

82-ID-056i (continued)

- Bu 8-23 cm. Pale brown (10YR 6/3) silt loam, brown to dark brown (10YR 4/3) moist; moderate fine and medium subangular blocky structure; hard, firm, slightly sticky and slightly plastic; strongly acid pH 5.3; common very fine and fine, few medium and coarse roots; many very fine, common fine, few medium tubular pores; few thin clay films lining pores; clear wavy boundary.
- Bti 23-5i cm. Pale brown (18YR 6/3) silt loam, brown to dark brown (18YR 4/3) moist; moderate medium and coarse subangular blocky structure; hard, firm, slightly sticky and slightly plastic; extremely acid pH 5.8; common very fine, few fine and medium roots; many very fine, common fine, few medium tubular pores; common thin clay films lining ped faces and pores, few moderately thick clay films lining pores; clear wavy boondary.
- Bt2 51-91 cm. Pale brown (10Yk 6/3) silt loam, brown to dark brown (10Yk 4/3) moist; moderate very coarse and coarse angular blocky structure; hard, firm, slightly sticky and slightly plastic; very strongly acid pH 4.7; common very fine, few fine roots; many very fine and fine, few medium tubular pores; many thin clay films lining ped faces and pores; clear wavy boundary.
- Bt3 91-152 cm. Fale brown (18YR 6/3) and brown (18YR 5/3) silt loam, brown to dark brown (18YR 4/3) and dark brown (18YR 3/3) moist; moderate very coarse and coarse angular blocky structure; hard, firm, sticky and plastic; very strongly acid pH 4.7; few very fine and fine roots; many very fine and fine, few medium tubular pores; common moderately thick clay films lining ped faces and pores, common moderately thick clay films ped faces and pores; clear wavy boundary.

Sample No.

Horizon

0i 01

Oe A Bu Bti Bt2 Bt3

Pedon: Benewah Variant Silt Loan 82-10-0561 (8210-009-6)

Depth

CM

0- 8 8- 23 23- 51 51- 91 91-152

μH

paste

NS NS 5.6 4.7 4.7

EC#10

nahos/ca

RS NS NS 0.30

0.20 0.16 0.10 Z Water at

Saturation

NS NS S2 38 37 42 41

Available

ppn

NS NS 1.8 1.2 1.2

Di-Citrate

Fe

	iexides		Spedic
Extract Al	Pyrophosphate i'e	Extract Al	
	. <u>Y</u>		

Date: June 1984

Debbie Eisinger

Analysis by:

Sample	Exc	Exchangeable Ions			Ext. Acidity CE	CEC	Base	OH	0 C	H	C:N	Soil	
No.	Ca	Ħg	Na	K	Н		Saturation					Fraction	NaF pH
	4			meq/180	gns		Z		I	w.p====	ratio		
	NS NS NS 8.9	NS NS NS	NS NS NS	NS NS NS 0.4	NS NS NS 9.7	NS NS NS 14.5	NS NS NS 54 48 50 42 37	NS NS NS 2.71	NS NS NS 1.58	NS NS NS 0.092	NS NS	NS NS NS	NS NS NS 8.8
í	NS 8.9	NS 1.3	NS 0.7	NS 0.4	NS 9.7	NS 14.5	NS 54	NS 2.71	NS 1.58	NS 0.092	NS NS 17	NS 1.00	NS 8.8
2	6.1 6.7	0.5 4.8	0.6 9.6	0.5 8.5	8.5 8.7	11.2	48 50	0.90 0.64	0.52 0.37	0.045 0.039	12 18	1.00 1.00	8.7 8.6
Ž	5.8 5.2	1.8 1.8	8.4 0.1	0.3 0.3	i#.i ii.5	11.6 16.5 17.0	42 37	0.43 0.50	0.25 0.29	0.034 0.037	-7 8	1.00 1.00	8.4 8.4

Remarks: CEC's were leached with 10% acidified NaCl. CEC's and nitrogens were run by steam distillation. Extractable cations were run on the Jarrell Ash atomic absorption. NS - no sample

Pedon: Benewah Variant Silt Loam 82-ID-0561 (82ID-009-6)

Depth			Particle Size Distribution (mm)							,		
	VCS	CS	MS	FS	VFS	TS	TS	i	TC	>2	RA	Textural
	2-1.0	1-0.5	0.5-0.25	0.25-0.1	0.1-0.05	2-0.05	0.05-0	.002	⟨0.002	wt.	vol.	Classes
C.											-1	
4- 3 3- 1 1- 0 0- 8 8- 23 23- 51 51- 91 91-152	NS NS NS 0.66 0.40 0.42 0.51 1.21	NS NS NS 1.12 1.00 0.91 1.08 1.94	NS NS NS 0.92 0.95 0.88 0.86 1.34	NS NS 2.20 2.40 2.53 2.17 2.48	NS NS NS 5.10 5.87 5.92 4.93 4.68	NS NS 10.00 10.61 10.68 9.54	72.7 70.6 69.7	S S 93 7 4 61 70	NS NS NS 16.06 16.65 18.71 20.76 23.90	NS NS NS none none none none		NS NS Silt loam Silt loam Silt loam Silt loam Silt loam
	Silt Size Distribution (mm)				- 	Water 6	Content	Liqu	uid	Plastic	Plastic	
epth	CoSi	Msi	1	si	Bulk Den:	sity	1/3	15	Lini	i t	Limit	Index
	0.05-0.	02 0.02-0.0	0.00	5-0.002	Clod (Core	Bar	Bar				
C.		x			g/cc			Z				
4- 3 3- 1 1- 0 0- 8 8- 23 23- 51 51- 91 91-152							NS NS NS 37.8 29.1 28.9 31.7 30.9	NS NS 25.4 19.8 19.1 20.7 20.8				

Remarks: Samples were run by centrifuge method, 5% sodium hexametaphosphate added, sonified, and carbonates were not removed.

NS - no sample

Analysis by: Anita L. Falen

Date: May 1984